

SECTION C**Saddles**

Description: Plastic saddles for secondary line derivation from main lines of PE, PVC or PP for irrigation, high-pressure conveyance of water, chemical solutions and slurries.

Range: Clamping part from Ø 20mm up to Ø 315mm, threaded part from Ø ½" up to Ø 4".

Pressure Rating: 16 bar at 20°C for Ø 20 up to Ø 110 mm saddles, 6 bar at 20°C for Ø 125 up to Ø 315 mm saddles.

Materials:

Body:	Polypropylene copolymer PP-B
O-Ring:	Elastomeric rubber
Reinforcing Ring:	Stainless Steel
Bolts:	Galvanized Steel or Stainless Steel

These fittings are suitable for use in potable water supply systems.

The fittings are suitable for exposure to sunlight (UV) and give excellent chemical resistance.

Please refer to technical catalogue for specific data sheets.



No.550

SADDLE 2 BOLTS
(WITHOUT METAL RING)
STANDARD O-RING



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550 0020 01	20X½	60	400	
550 0025 01	25X½	60	300	
550 0025 02	25X¾	58	300	
550 0032 01	32X½	71	270	
550 0032 02	32X¾	69	270	
550 0040 01	40X½	103	180	
550 0040 02	40X¾	101	180	
550 0040 03	40X1	106	150	
550 0050 01	50X½	160	120	
550 0050 02	50X¾	160	120	
550 0050 03	50X1	162	100	
550 0063 01	63X½	170	80	
550 0063 02	63X¾	170	80	
550 0063 03	63X1	171	80	

No.550

SADDLE 4 BOLTS
(WITHOUT METAL RING)
STANDARD O-RING



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550 0450 01	50X½	204	100	
550 0450 02	50X¾	210	100	
550 0450 03	50X1	213	100	
550 0450 04	50X1¼	224	100	
550 0463 01	63X½	235	80	
550 0463 02	63X¾	231	80	
550 0463 03	63X1	232	80	
550 0463 04	63X1¼	220	70	
550 0463 05	63X1½	239	70	
550 0075 01	75X½	262	65	
550 0075 02	75X¾	272	65	
550 0075 03	75X1	264	65	
550 0075 04	75X1¼	283	60	
550 0075 05	75X1½	300	60	
550 0075 06	75X2	313	60	
550 0090 01	90X½	350	45	
550 0090 02	90X¾	341	40	
550 0090 03	90X1	342	40	
550 0090 04	90X1¼	343	40	
550 0090 05	90X1½	361	35	
550 0090 06	90X2	363	35	
550 0110 01	110X½	505	30	
550 0110 02	110X¾	499	30	
550 0110 03	110X1	503	30	
550 0110 04	110X1¼	507	30	
550 0110 05	110X1½	546	30	
550 0110 06	110X2	522	25	
550 0125 02	125X¾	508	30	
550 0125 03	125X1	507	30	
550 0125 04	125X1¼	509	30	
550 0125 05	125X1½	509	30	
550 0125 06	125X2	518	30	

No.550

SADDLE 6 BOLTS
(WITHOUT METAL RING)
STANDARD O-RING



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550 0140 02	140X¾	748	24	
550 0140 03	140X1	753	24	
550 0140 04	140X1¼	779	24	
550 0140 05	140X1½	784	24	
550 0140 06	140X2	813	24	
550 0160 02	160X¾	792	24	
550 0160 03	160X1	788	24	
550 0160 04	160X1¼	794	24	
550 0160 05	160X1½	826	24	
550 0160 06	160X2	798	24	
550 0200 02	200X¾	1787	10	
550 0200 03	200X1	1773	10	
550 0200 04	200X1¼	1765	10	
550 0200 05	200X1½	1759	10	
550 0200 06	200X2	1759	10	
550 0225 06	225X2	2260	6	
550 0225 07	225X2½	2260	6	
550 0225 08	225X3	2260	6	
550 0225 09	225X4	2260	6	
550 0250 06	250X2	2790	4	
550 0250 07	250X2½	2790	4	
550 0250 08	250X3	2790	4	
550 0250 09	250X4	2790	4	
550 0315 06	315X2	4150	3	
550 0315 07	315X2½	4150	3	
550 0315 08	315X3	4150	3	
550 0315 09	315X4	4150	3	

No.550A

DOUBLE SADDLE 2 BOLTS
(WITHOUT METAL RING)



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550A 020 01	20X½	73	75	
550A 025 01	25X½	73	75	
550A 025 02	25X¾	68	75	
550A 032 01	32X½	85	50	
550A 032 02	32X¾	80	50	
550A 040 01	40X½	116	60	
550A 040 02	40X¾	111	60	
550A 040 03	40X1	122	50	
550A 050 01	50X½	179	40	
550A 050 02	50X¾	178	30	
550A 050 03	50X1	183	30	
550A 063 01	63X½	187	40	
550A 063 02	63X¾	188	30	
550A 063 03	63X1	172	30	

No.550A

DOUBLE SADDLE 6 BOLTS
(WITHOUT METAL RING)



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550A 140 02	140X¾	763	15	
550A 140 03	140X1	773	15	
550A 140 04	140X1¼	824	15	
550A 140 05	140X1½	834	15	
550A 140 06	140X2	893	12	
550A 160 02	160X¾	820	15	
550A 160 03	160X1	812	15	
550A 160 04	160X1¼	824	15	
550A 160 05	160X1½	888	15	
550A 160 06	160X2	832	15	
550A 200 02	200X¾	1846	8	
550A 200 03	200X1	1818	8	
550A 200 04	200X1¼	1802	8	
550A 200 05	200X1½	1790	8	
550A 200 06	200X2	1834	8	

No.550A

DOUBLE SADDLE 4 BOLTS
(WITHOUT METAL RING)



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550A 450 01	50X½	214	40	
550A 450 02	50X¾	225	30	
550A 450 03	50X1	231	30	
550A 450 04	50X1¼	254	25	
550A 463 01	63X½	253	40	
550A 463 02	63X¾	246	40	
550A 463 03	63X1	247	40	
550A 463 04	63X1¼	241	30	
550A 463 05	63X1½	280	50	
550A 075 01	75X½	281	50	
550A 075 02	75X¾	301	50	
550A 075 03	75X1	286	50	
550A 075 04	75X1¼	317	50	
550A 075 05	75X1½	352	50	
550A 075 06	75X2	377	40	
550A 090 01	90X½	381	50	
550A 090 02	90X¾	363	50	
550A 090 03	90X1	363	50	
550A 090 04	90X1¼	367	50	
550A 090 05	90X1½	403	40	
550A 090 06	90X2	405	40	
550A 110 01	110X½	531	25	
550A 110 02	110X¾	519	25	
550A 110 03	110X1	526	25	
550A 110 04	110X1¼	536	25	
550A 110 05	110X1½	613	25	
550A 110 06	110X2	565	20	
550A 125 02	125X¾	544	15	
550A 125 03	125X1	542	15	
550A 125 04	125X1¼	546	15	
550A 125 05	125X1½	546	15	
550A 125 06	125X2	564	15	

No.550B

SADDLE 2 BOLTS
(WITH METAL RING)



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550B 020 01	20X½	64	400	
550B 025 01	25X½	64	300	
550B 025 02	25X¾	61	300	
550B 032 01	32X½	75	270	
550B 032 02	32X¾	72	270	
550B 040 01	40X½	107	180	
550B 040 02	40X¾	104	180	
550B 040 03	40X1	109	150	
550B 050 01	50X½	164	120	
550B 050 02	50X¾	164	120	
550B 050 03	50X1	166	120	
550B 063 01	63X½	174	80	
550B 063 02	63X¾	175	80	
550B 063 03	63X1	175	80	

No.550B

SADDLE 4 BOLTS
(WITH METAL RING)



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550B 450 01	50X½	205	100	
550B 450 02	50X¾	214	100	
550B 450 03	50X1	217	100	
550B 450 04	50X1¼	230	100	
550B 463 01	63X½	239	80	
550B 463 02	63X¾	235	80	
550B 463 03	63X1	236	80	
550B 463 04	63X1¼	226	70	
550B 463 05	63X1½	247	70	
550B 075 01	75X½	266	65	
550B 075 02	75X¾	276	65	
550B 075 03	75X1	269	65	
550B 075 04	75X1¼	289	60	
550B 075 05	75X1½	308	60	
550B 075 06	75X2	322	60	
550B 090 01	90X½	354	45	
550B 090 02	90X¾	345	40	
550B 090 03	90X1	346	40	
550B 090 04	90X1¼	349	40	
550B 090 05	90X1½	369	35	
550B 090 06	90X2	372	35	
550B 110 01	110X½	509	30	
550B 110 02	110X¾	503	30	
550B 110 03	110X1	507	30	
550B 110 04	110X1¼	517	30	
550B 110 05	110X1½	555	30	
550B 110 06	110X2	531	25	
550B 110 08	110X3	588	24	
550B 125 02	125X¾	512	30	
550B 125 03	125X1	511	30	
550B 125 04	125X1¼	518	30	
550B 125 05	125X1½	518	30	
550B 125 06	125X2	528	30	

No.550B

SADDLE 6 BOLTS
(WITH METAL RING)



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550B 125 08	125X3	847	30	
550B 140 02	140X¾	753	24	
550B 140 03	140X1	760	24	
550B 140 04	140X1¼	795	24	
550B 140 05	140X1½	795	24	
550B 140 06	140X2	829	24	
550B 160 02	160X¾	796	24	
550B 160 03	160X1	792	24	
550B 160 04	160X1¼	802	24	
550B 160 05	160X1½	835	24	
550B 160 06	160X2	807	24	
550B 160 08	160X3	1107	16	
550B 160 09	160X4	1122	16	
550B 200 02	200X¾	1795	10	
550B 200 03	200X1	1781	10	
550B 200 04	200X1¼	1773	10	
550B 200 05	200X1½	1767	10	
550B 200 06	200X2	1790	10	
550B 200 08	200X3	1816	10	
550B 200 09	200X4	1803	10	

No.550C

DOUBLE SADDLE 2 BOLTS
(WITH METAL RING)



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550C 020 01	20X½	80	75	
550C 025 01	25X½	80	75	
550C 025 02	25X¾	75	75	
550C 032 01	32X½	92	50	
550C 032 02	32X¾	87	50	
550C 040 01	40X½	123	60	
550C 040 02	40X¾	118	60	
550C 040 03	40X1	129	50	
550C 050 01	50X½	187	40	
550C 050 02	50X¾	186	30	
550C 050 03	50X1	192	30	
550C 063 01	63X½	195	40	
550C 063 02	63X¾	196	30	
550C 063 03	63X1	197	30	

No.550C

DOUBLE SADDLE 6 BOLTS
(WITH METAL RING)



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550C 125 08	125X3	994	12	
550C 140 02	140X¾	773	15	
550C 140 03	140X1	787	15	
550C 140 04	140X1¼	841	15	
550C 140 05	140X1½	857	15	
550C 140 06	140X2	924	12	
550C 160 02	160X¾	828	15	
550C 160 03	160X1	820	15	
550C 160 04	160X1¼	840	15	
550C 160 05	160X1½	907	15	
550C 160 06	160X2	851	15	
550C 160 08	160X3	1471	10	
550C 160 09	160X4	1501	10	
550C 200 02	200X¾	1862	8	
550C 200 03	200X1	1834	8	
550C 200 04	200X1¼	1818	8	
550C 200 05	200X1½	1806	8	
550C 200 06	200X2	1853	8	
550C 200 08	200X3	1903	8	
550C 200 09	200X4	1878	8	

No.550C

DOUBLE SADDLE 4 BOLTS
(WITH METAL RING)



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550C 450 01	50X½	214	40	
550C 450 02	50X¾	233	30	
550C 450 03	50X1	239	30	
550C 450 04	50X1¼	266	25	
550C 463 01	63X½	261	40	
550C 463 02	63X¾	254	40	
550C 463 03	63X1	255	40	
550C 463 04	63X1¼	252	30	
550C 463 05	63X1½	296	30	
550C 075 01	75X½	289	50	
550C 075 02	75X¾	310	50	
550C 075 03	75X1	294	50	
550C 075 04	75X1¼	329	50	
550C 075 05	75X1½	368	50	
550C 075 06	75X2	396	40	
550C 090 01	90X½	389	50	
550C 090 02	90X¾	371	50	
550C 090 03	90X1	372	50	
550C 090 04	90X1¼	379	50	
550C 090 05	90X1½	419	40	
550C 090 06	90X2	425	40	
550C 110 01	110X½	539	25	
550C 110 02	110X¾	528	25	
550C 110 03	110X1	535	25	
550C 110 04	110X1¼	555	25	
550C 110 05	110X1½	632	25	
550C 110 06	110X2	584	20	
550C 110 08	110X3	698	15	
550C 125 02	125X¾	552	15	
550C 125 03	125X1	550	15	
550C 125 04	125X1¼	562	15	
550C 125 05	125X1½	562	15	
550C 125 06	125X2	583	15	

No.550F

SADDLE 2 BOLTS
(WITH FLAT O-RING)

NEW



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550F 040 03	40X1	122	180	
550F 050 01	50X½	179	120	
550F 050 02	50X¾	178	120	
550F 050 03	50X1	183	120	
550F 063 01	63X½	187	100	
550F 063 02	63X¾	188	100	
550F 063 03	63X1	172	100	

No.550H

SADDLE 2 BOLTS
(WITH METAL RING & FLAT O-RING)

NEW



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550H 040 03	40X1	109	180	
550H 050 01	50X½	164	120	
550H 050 02	50X¾	164	120	
550H 050 03	50X1	166	120	
550H 063 01	63X½	174	100	
550H 063 02	63X¾	175	100	
550H 063 03	63X1	175	100	

No.550F

SADDLE 4 BOLTS
(WITH FLAT O-RING)

NEW



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550F 450 01	50X½	204	100	
550F 450 02	50X¾	210	100	
550F 450 03	50X1	213	100	
550F 463 01	63X½	235	80	
550F 463 02	63X¾	231	80	
550F 463 03	63X1	232	80	
550F 463 04	63X1¼	220	70	
550F 463 05	63X1½	239	70	
550F 075 01	75X½	262	65	
550F 075 02	75X¾	272	65	
550F 075 03	75X1	264	65	
550F 090 01	90X½	350	45	
550F 090 02	90X¾	341	40	
550F 090 03	90X1	342	40	
550F 110 01	110X½	505	30	
550F 110 02	110X¾	499	30	
550F 110 03	110X1	503	30	

No.550H

SADDLE 4 BOLTS
(WITH METAL RING & FLAT O-RING)

NEW



Code	Size (mm x in)	Weight (g)	Packing (pcs)	Price (€)
550H 450 01	50X½	205	100	
550H 450 02	50X¾	214	100	
550H 450 03	50X1	217	100	
550H 463 01	63X½	239	80	
550H 463 02	63X¾	235	80	
550H 463 03	63X1	236	80	
550H 075 01	75X½	266	65	
550H 075 02	75X¾	276	65	
550H 075 03	75X1	269	65	
550H 090 01	90X½	354	45	
550H 090 02	90X¾	345	40	
550H 090 03	90X1	346	40	
550H 110 01	110X½	509	30	
550H 110 02	110X¾	503	30	
550H 110 03	110X1	507	30	

ACCESSORIES

No.814

MOUNTING TOOL FOR SADDLE



Code	Size (in)	Weight (g)	Packing (pcs)	Price (€)
814 0000 01	½	120	400	
814 0000 02	¾	140	350	
814 0000 03	1	160	300	